



# CS203 S

**CHEMSTIK® 203 S** is a PTFE-coated fabric with a high performance, silicone pressure-sensitive adhesive on one side. The PTFE surface exhibits good release properties in demanding high temperature applications. The product has a yellow corrugated liner to protect the adhesive surface and to ease identification and use.

**CHEMSTIK® 203 S** is used extensively in the packaging industry for covering elements, impulse wires and L-Bar sealers.

TYPICAL PROPERTIES	UNIT	VALUE	TEST METHOD
Base Thickness:	mm	0.080	FTMS 191A-5030
Adhesive Thickness:	mm	0.045	FTMS 191A-5030
Base PTFE-fabric Weight:	g/m <sup>2</sup>	130	FTMS 191A-5041
180° Peel Adhesion Strength:	N/cm	5.3	ASTM D330-83
Tensile Strength:	N/cm	180 x 140	FTMS 191A-5102
Adhesive Type:	-	Silicone	-
Temperature Resistance:	°C	-73 to +260	-
Standard Width:	mm	1000	-

**CHEMSTIK® 203 S** is also available acrylic and self-wound (i.e. no liner).

\* Formerly **CHEMSTIK® 700-3 S**, **Tygaflor 308AP**

Saint-Gobain Performance  
Plastics sales, fabrication and  
distribution facilities are  
situated at the following  
locations:

## Ireland

Tel. +353 65 9080170  
Fax. +353 65 9080177  
E-mail: [aff.europe@saint-gobain.com](mailto:aff.europe@saint-gobain.com)

## Germany

Tel. +49 21 54 60 190  
Fax. +49 21 54 60 194  
E-mail: [aff.germany@saint-gobain.com](mailto:aff.germany@saint-gobain.com)

## France

Tel. +33 4 68635353  
Fax. +33 4 68632646  
E-mail: [aff.france@saint-gobain.com](mailto:aff.france@saint-gobain.com)

## UK

Tel. +44 1706 746900  
Fax. +44 1706 746991  
E-mail: [aff.uk@saint-gobain.com](mailto:aff.uk@saint-gobain.com)

[www.chemfab.com](http://www.chemfab.com)

CHEMFAB® is a registered trademark.

The data listed herein fall within the normal range of product properties for the products described, but they should not be used to establish specification limits nor used alone as the basis of design. SAINT-GOBAIN assumes no obligation or liability for any advice furnished by it or for results obtained to these products. All such advice is provided gratis and Buyer assumes sole responsibility for results obtained in reliance thereon. SAINT-GOBAIN warrants that the material itself does not knowingly infringe any patent, but no license is implied nor is any further warranty made.

©2010 Saint-Gobain Performance Plastics  
Corporation  
KIIR-1207-027